

Tabella di  
adattabilità  
per  
famiglia  
di articoli

# CRICCHETTI PER VASISTAS

AV SAVIO

Elenco profili										
	1357	1360	1370.1	1370.10	1370.5	1370.6	1370.7	1370.9	1390.1	1390.5 - 1390.99
40500		•			•					•
Alfil A54RPT		•	•						•	
Alfil A65RPT	•	•	•						•	
ALL.CO 5 complanare		•								
ALL.CO 5 sormonto		•				•				
ALL.CO P 4 complanare		•								
ALL.CO P 4 sormonto		•								
ALL.CO P 4 sormonto raggiato		•								
ALLCO.TEC 72		•	•						•	
ALPHA 255		•								
ATLANTIS 40		•					•			
ATLANTIS 45		•	•						•	
ATLANTIS 55 TT		•	•						•	
ATLANTIS 55 TT raggiato		•								
ATLANTIS 68 TT		•	•						•	
ATLANTIS 68 TT raggiato		•								
BGA 50		•	•							
BGA 50 Arrotondato		•	•						•	
BREAK PA 52		•	•						•	
BREAK PA 52 raggiato		•								
BREAK PA 63		•	•						•	
BREAK PA 70 S		•	•						•	
CRISTAL Porte		•							•	
CX 600		•	•						•	
CX 700		•	•						•	
DOMAL 40		•						•		
DOMAL 40 raggiato		•								
DOMAL BRIGHT PA 70 S		•	•							
DOMAL BRIGHT PA 70 S raggiato		•								
DOMAL EXTRATERMIC 62		•	•						•	
DOMAL EXTRATERMIC 62 raggiato		•								
DOMAL STOPPER PG 63		•	•						•	
DOMAL TOP TB 65									•	
EKIP 40 complanare		•								
EKIP 40 NUOVO complanare		•								
EKIP 40 NUOVO sormonto		•		•						
EKIP 40 sormonto		•		•						
EKIP 50 complanare		•								
EKIP 50 sormonto		•								
EKIP ev complanare		•								
EKIP ev sormonto		•		•						
EKIP TH 83									•	
EKIP THERMO 53		•								
EKOS 50 SH									•	
EKOS 50 TH		•							•	
EKOS 66 TH		•							•	
EKOS 68 THR		•							•	
EKOS 85 TH		•							•	
EKOS MINIMALL 54 TH		•	•						•	
EKOS MINIMALL 62 THJ		•	•						•	
EKU 40		•	•						•	
EKU 40 raggiato		•								
EKU 53		•	•						•	
EKU 53 TT		•	•						•	
EKU 64 TT		•	•						•	
EKU 72 TT		•	•						•	

Elenco profili										
	1357	1360	1370.1	1370.10	1370.5	1370.6	1370.7	1370.9	1390.1	1390.5 - 1390.99
ESEDRA GA 53		•	•						•	
ESEDRA GA 53 raggiato		•								
ESEDRA LIGHT 42/50		•								
ESEDRA TT 63		•	•						•	
ESEDRA TT 75		•	•						•	
ET 43 Sormonto		•					•			
ET 45 Sormonto		•	•							
ET 58/2 TT			•						•	
ET 67/3 TT			•						•	
ET 68/2 TT			•						•	
ET 75/3 TT			•						•	
EURO 40		•	•						•	
EURO 40 raggiato		•								
EURO KEEPER 45		•	•						•	
EXPORT 45		•	•						•	
EXPORT 45 T		•	•						•	
EXPORT 45 TT		•	•						•	
EXPORT 50		•	•						•	
EXPORT 50 T		•	•						•	
EXPORT 50 TT		•	•						•	
EXPORT 51 TT		•	•						•	
EXPORT 68 TT		•	•						•	
FB 12		•								
FC 47 complanare		•								
FC 55 BICOLORE		•								
FC 55 MONTECARLO		•								
FC 55 RESTAURO		•								
FC TT 60 POLO		•								
GLOBAL 41		•								
GLOBAL 48		•								
GLOBAL 50 TT		•								
GLOBAL 70 TT		•								
GOLD 400		•	•						•	
GOLD 400 raggiato		•								
GOLD 450		•	•						•	
GOLD 450 TT		•	•						•	
GOLD 490		•	•						•	
GOLD 500		•	•						•	
GOLD 600		•	•						•	
GR 9		•								
GREEN 45 sormonto		•	•						•	
GREEN raggiato		•								
HF 580		•	•						•	
HP 600		•	•						•	
HP 700		•	•						•	
K 40		•	•						•	
K 45T		•	•						•	
K 64T		•	•						•	
K 70T		•	•						•	
KEEPER 53/60		•	•						•	
KEEPER 53/60 raggiato		•								
KEEPER 61/68		•	•						•	
MAASTRICHT 53		•	•						•	
MAASTRICHT LIGHT		•	•						•	
MAASTRICHT TH 60		•	•						•	
MAASTRICHT TH 68		•	•						•	



Elenco profili										
	1357	1360	1370.1	1370.10	1370.5	1370.6	1370.7	1370.9	1390.1	1390.5 - 1390.99
RX 600		•			•					•
RX 700		•			•					•
SERIE 8000		•	•						•	
SERIE 8000 raggiato		•								
SERIE 8000 TT		•	•						•	
SERIE 8000 TT raggiato		•								
START 410									•	
START 470 TT		•	•						•	
START 510									•	
START 560 TT		•							•	
START 640 TT		•							•	
START 760 TT		•							•	
STOPPER (31.5 C.I.)		•								
STOPPER PG		•	•						•	
STOPPER PG raggiato		•								
SUPERBLINDO		•	•						•	
SV 39		•	•						•	
SV 39/47 raggiato.		•								
SV 47/55		•	•						•	
SV TT55		•	•						•	
SV TT70		•	•						•	
SV TT74		•	•						•	
SYNTHESIS 45		•	•						•	
SYNTHESIS 57		•	•						•	
SYNTHESIS 60 TT		•	•						•	
TECNO 50		•			•					
TECNO 50 TT		•			•					•
TECNO 60 TT		•			•					•
TECNO 68 TT		•			•					•
TT 50		•			•					•
VENICE TH16		•	•						•	
VUERRE 53 TT		•	•						•	
VUERRE 70 TT		•	•						•	
WINDSTOP 45		•	•						•	
WINDSTOP 45 raggiato		•								
WINDSTOP 45 TT		•	•						•	
WINDSTOP 45 TT CLASSIC		•	•						•	
WINDSTOP 45 TT CLASSIC raggiato		•								
WINDSTOP 55 TT		•	•						•	
WINDSTOP 55 TT CLASSIC		•	•						•	
WINDSTOP 55 TT CLASSIC raggiato		•								
WINDSTOP 55 TT raggiato		•								
WINDSTOP 65 TT		•	•						•	
WINDSTOP 65 TT CLASSIC		•	•						•	
WINDSTOP 65 TT CLASSIC raggiato		•								
WINDSTOP 65 TT raggiato		•								

**AV SAVIO**

**SAVIO S.p.A.**

Via Torino, 25 (s.s. 25) - 10050 Chiusa S. Michele (TO) - Italy  
Tel. +39 011 9643464 - Fax +39 011 9643474  
e-mail: [export@savio.it](mailto:export@savio.it) - [www.savio.it](http://www.savio.it)

**AV SAVIO**  
*by*  
*pininfarina*  
**LUIGISAVIO**